

To: Linden, melissa[linden.melissa@epa.gov]
Cc: 'Hickman, Joseph M'[Joseph.M.Hickman@wv.gov]; scott.g.mandirola@wv.gov[scott.g.mandirola@wv.gov]; Blankenship, Anne[ABlankenship@babstcalland.com]; **Ex. 6 - Personal Privacy** [@cecinc.com]
From: Bluedorn, Donald
Sent: Wed 3/5/2014 6:35:51 PM
Subject: FW: Freedom Industries - Consent Order No. 8034

Melissa:

Set forth below is the product and wastewater inventories that we discussed during today's meeting.

Thanks,

Don

Donald C. Bluedorn II	
Attorney-at-Law dbleudorn@babstcalland.com	
	Two Gateway Center Pittsburgh, PA 15222 Direct 412.394.5450 Main 412.394.5400 Fax 412.394.6576 www.babstcalland.com

CONFIDENTIALITY NOTICE: This e-mail transmission, and any documents, files or previous e-mail messages attached to it may contain confidential information that is legally privileged. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are hereby notified that any disclosure, copying, distribution or use of any of the information contained in or attached to this transmission is STRICTLY PROHIBITED. If you have received this transmission in error, please immediately notify the sender. Please destroy the original transmission and its attachments without reading or saving in any manner. Thank you, Babst, Calland, Clements & Zomnir, P.C.

From: Bluedorn, Donald
Sent: Tuesday, March 04, 2014 4:56 PM
To: 'Hickman, Joseph M'
Cc: 'scott.g.mandirola@wv.gov'; 'Paul K. Vey <PKV@Pietragallo.com> (PKV@Pietragallo.com)';

Blankenship, Anne

Subject: RE: Freedom Industries - Consent Order No. 8034

Joe:

Per Paragraph No. 5 of the above-referenced Consent Order, set forth below is an inventory of the product currently located at the Charleston site. Also set forth below is an inventory of the wastewater being managed onsite.

<u>Tank</u>	<u>Approximate Remaining Product</u>
--------------------	---

Tank 393	Empty to Refusal (48,647 gallons)
----------	-----------------------------------

Tank 394	Empty to Refusal (21,588 gallons)
----------	-----------------------------------

Tank 395	Empty and Clean
----------	-----------------

Tank 396	Empty and Clean
----------	-----------------

Tank 397	Empty and Clean
----------	-----------------

Tank 406	Empty – Ready for Cleaning
----------	----------------------------

Tank 403	Calcium Chloride Heel (43,524 gallons)
----------	--

Tank 404	Empty to Refusal (5,442 gallons)
----------	----------------------------------

Tank 405	Empty to Refusal (2,590 gallons)
Tank 406	Empty – Ready for Cleaning
Tank 200	RDC-777 (2,000 gallons)
Tank 201	RDC-777 (2,000 gallons)
Tank 202	RDC-777 (2,000 gallons)
Tank 203	RDC-777 (2,000 gallons)
Tank 204	RDC-777 (2,000 gallons)
Tank 205	Empty to Refusal (250 gallons)
Salt	Weigh Hopper – Empty to Refusal (100 gallons)
Glycerin	Weigh Hopper – Empty to Refusal (100 gallons)

There also are a handful of tanks without any connected piping that are not in use, but may have a small heel. These tanks are empty to refusal and ready for cleaning.

In addition to the product material, water is being collected per the IRM Activities as follows:

<u>Tank</u>	<u>Approximate Collected Water</u>
--------------------	---

Tank 398 103,122 gallons (tank heel and water)

Tank 399 11,613 gallons (tank heel and water)

Tank 400 179,167 gallons (tank heel and water)

Tank 401 235,794 gallons (tank heel and water)

Tank 402 101,173 gallons (water only)

Thanks,

Don

Donald C. Bluedorn II

Attorney-at-Law
dbluedorn@babstcalland.com



Two Gateway Center
Pittsburgh, PA 15222

Direct 412.394.5450

Main 412.394.5400

Fax 412.394.6576

www.babstcalland.com

CONFIDENTIALITY NOTICE: This e-mail transmission, and any documents, files or previous e-mail messages attached to it may contain confidential information that is legally privileged. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are hereby notified that any disclosure, copying, distribution or use of any of the information contained in or attached to this transmission is STRICTLY PROHIBITED. If you have received this transmission in error, please immediately notify the sender. Please destroy the original transmission and its attachments without reading or saving in any manner. Thank you, Babst, Calland, Clements & Zomnir, P.C.

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg

which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****